

Healthy Land® is a brand of biologicals based on beneficial microorganisms, which increase the resistance of plants to stress factors and give them a balanced nutrition. The products are certified for organic gardening by Organic Standart and FiBL.

Healthy Land® biologicals work via many different mechanisms supporting the entire plant microbiome and soil health.

The ingredients are derived from the nature and they are 100% safe for the environment. Our microbiologists find the strongest beneficial soil microorganisms to create the Healthy Land biologicals. They are safe for people, pets, bees and fish and they do not pollute the underground water.

All Healthy Land biologicals contribute to the soil health and as a result to the organic yields. We protect biodiversity and lead to the better plant health.

**Grow organic with Healthy Land®!** 







MAIN GOAL




Our goal is to make an organic gardening available for all people!



Healthy Land Team

### All our strains are derived directly from the nature:



## Why should you use Soil Improver?



The phytopathogens often remain on plant residues, so it is really important to sanitize the soil



To restore soil fertility



To improve soil structure (looseness, moisture capacity, aeration)



**In spring** it is necessary to enrich the soil with beneficial microflora to improve in the future NPK nutrition of the plant and to increase the effectiveness of applied organic or mineral fertilizers.



In autumn the soil must be treated. It is important to create healthy soil microbi-



# Soil Improver Bio soil and plant aid



Microbiological soil and plant aid for improving the soil, which accelerates decomposition of plants residues and increases the nitrogen content in the soil



#### **Product details**



the soil







Increases the biological activity of the soil



#### Benefits

- Soil improvement and development of beneficial microflora
- NPK nutrition
- Increasing soil fertility
- Decomposition of plants residues
- ✓ Improvement of soil structure

### Composition

- · Azotobacter Chroococcum (Natural N-fixing bacteria)
- Bacillus subtilis
- Trichoderma lianorum
- · Paenibacillus polymyxa (PK-mobilizing soil bacteria)
- Enterobacter, Enterococcus bacteria
- Lactobacillus (Lactic acid bacteria)

#### Product description

Intensive gardening depletes the soil every year and as a result it loses its fertility.

The more microorganisms in the soil, the faster the organic matter rots and the faster the soil becomes fertile.

**Soil Improver**® is a biological product that consists of beneficial microorganisms which are destructors, N-fixers and PK-mobilizers.

**Soil Improver®** accelerates the decomposition of organic matter and the formation of humus in the soil. It contributes to the restoration and increases the soil fertility.

The phytopathogens often remain on plant residues, so it is really important to sanitize the soil.


Safe for humans, fish, birds, bees and the environment. Certified for organic farming.






#### Application

# Methods of application in outdoor, greenhouses and garden






Improvement of the soil in summer during the growing season:

5 ml 5 l of water watering once a month



Shelf Life: 24 months at temperatures between 4 °C and 10 °C or 12 months at temperatures between 10 °C and 15 °C.





# Why do plants need Nitrogen (N), Phosphorus (P), Potassium (K)?

Nitrogen takes part in the plant growth and fruiting. Nitrogen nutrition actively affects the growth of the green mass of the plant. Phosphorus is one of the main elements of plant nutrition. Improved phosphorus nutrition of plants in the early phases of their life accelerates their development, besides it fertilizers the growth of the root system as well.

With a balanced supply of **phosphorus** a plant begins the reproductive phase quicker and has a resistance to adverse weather conditions (low temperatures, droughts etc.)

Plants need phosphorus nutrition most of all during flowering and fruit formation.

**Potassium** is an important nutrient for plants, which increases their resistance to stress and contributes to the better development of shoots. It also helps to prevent a lot of fungal and bacterial diseases. improves the quality and quantity, taste and shelf life.

Only bacteria are able to provide the plant with natural, safe nutrients and help the plant to absorb the organic matter, which is difficult to access.





# Live Fertilizer Bio plant aid

Organic-balance®

Microbiological plant aid for stimulating the strong immunity and resistance of plants to stress factors



#### Product details



Stimulates the growth and improves the development of plants



Boosts the Increases the resistance of intake plants to stress factors



**Packaging Preparative form** The period of use

Characteristics

The type of product

spring, summer, autumn, winter

microbiological

500 ml

liauid

#### Benefits

- ✓ Provides plants with balanced NPK- nutrition
- ✓ Stimulates the process of seed germination
- Strengthens the plants immunity
- Promotes growth and enhances resistance to the environmental stress
- ✓ Improves a quality and a quantity of products

#### Composition

- · Azotobacter Chroococcum (Natural N-fixing bacteria)
- Bacillus subtilis
- · Trichoderma lianorum
- Paenibacillus polymyxa (PK-mobilizing soil
- Lactobacillus (Lactic acid bacteria)

#### Product description

**LIVE FERTILIZER Organic Balance®** is a biofertilizer that contains a mixture of different strains of microorganisms, natural N-fixing, PK-mobilizing and other beneficial bacteria, that strengthen the immunity of weakened plants. Besides Live fertilizer provides the growth of the root system and vegetative mass, balanced nutrition of plants with microand macroelements in the available plant form. **Live Fertilizer** is suitable for indoor plants as well.

**Live Fertilizer** accelerates the emergence of homogeneous seedlings and increases the energy of seed germination. It prevents plants from a wide range of diseases without a resistance.

Thanks to **Live Fertilizer** plants get all necessary vitamins and microelements, besides it provides the powerful stimulation of plant growth and development. By the way this biological increases a harvest by 10-30%, helps to reduce the cost of mineral fertilizers by 15-30% and at the same time it improves soil fertility, that is why we advise you to use it from early spring to late autumn.

Safe for humans, fish, birds, bees and the environment. Certified for organic farming.

#### Advice from agronomists

It is necessary to start using the biological **LIVE FERTILIZER®** from seed treatment up to the gathering harvest. As a result you will get better conditions for plants growth and for the process of chlorophyll formation, which gives such a green colour thereby providing plenty of green pigment. On the other hand thanks to this biological more sugar accumulates in the plant and provides with better taste and well-formed fruits.





#### Application

	Application methods			
Culture	Pre-sowing treatment of seeds, tubers, bulbs	Root treatment (watering)	Foliar treatment (spraying) of plants during the growing season	
Tomatoes, cucumbers, cabbage and other vegetables Flowers Melons, watermelons Celery, parsley, parsnip, dill	35 ml / 500 ml of water	35 ml / 10 liters of water without limitation during 7-14 days		
Onion, garlic  Beans Beet	35 ml / 10 liters of water		(2-4 treatments) 35 ml / 10 liters of water	
Potato		_		
Fruity and decorative trees, bushes, grapes, strawberries and other berries	_			

#### Application features

- shake before using
- use the ready mixture on the day of prepearing
- seed treatment shouldn't be done under direct sunlight (better in the shade)
- treatment of growing plants should be done in the morning or in the evening (in cloudy and calm weather)
- treatment of plants is allowed during flowering and fruiting

Bottle cap volume

Shelf life: 24 months at 4 °C - 15 °C

Important: this biological can be used with other approved plant nutrition and protection products

# Fitobact® Bio plant aid

Microbiological plant aid for strengthening plants health



#### Product details








plants immunity

Prevents fungal and bacterial diseases

Improves plants health



#### Benefits

- Prevention from a wide range of diseases
- Strength of the plant immune system
- Stimulation of plant growth and development
- Increasing productivity and the taste qualities of fruits and vegetables

### Composition

Bacillus subtilis in an amount of at least 1.0 × 109 CFU/cm3

#### Safety precautions

In case of contact with skin, remove its residues with a napkin and wash the affected area with soap and water. In case of contact with eyes, rinse thoroughly with plenty of water.

Shelf life: 3 years at 0 °C to 20 °C

Safe for humans, fish, birds, bees and the environment, Certified for organic farming.

#### Soil treatment

Plants residues and soil can be also sprayed with a solution of the product 10-20 ml / 10 l of water and the soil must be loosened before.

#### Application features

- Shake the product before using
- · Treatment should be carried out avoiding direct sunlight, in cloudy weather or in the evening
- The ready solution can be stored for a day in a cool and dark place
- To increase the effectiveness of this biological we recommend you to add **Liposam®** to the working solution

**Important:** this biological can be used with other approved plant nutrition and protection products

Bottle cap volume<sup>\*</sup> 15 ml



### Application

	Application methods			
Culture	Pre-sowing treatment of seeds	Treatment of plant roots before planting 100 pcs	Root treatment	Foliar treatment (spraying)
Vegetables (cucumbers, tomatoes, peppers, eggplants, melons, watermelons, cabbage, beet, corn, zucchini)	5-10 ml/ 500 ml of water	10 ml/ 3-5 liter of water	5-10 ml / 10 l of water	5-10 ml/10 liters of water
Legumes (peas, soybeans, beans, lentils, beans, chickpeas), Sunflower		_	Irrigation is done under the root when you plant the plants in the soil and further	3-4 times with an interval of 7-10 days
Potatoes, onions, garlic	10-20 ml/ 2-5 liters of water	_	with an interval of 7-10 days per seedling or per 1 m <sup>2</sup> of vegetable and fruit crops. After treatment, the plants are watered, the soil is mulched	Starting with the emergence of seedlings, and further during the growing season, 3-4 times with an interval of 7-10 days
Fruit and berry crops Seedlings of fruit trees	_	10 ml/ 10 l of water	10 ml/ 10 l of water	An overdose of the product does not affect the development of the plant and its fruiting
Flowers: - Seeds - Tubers	5-10 ml/ 500 ml of water 10-20 ml/2-5 l of water	10 ml/ 3-5 l of water	_	_
Lawn grass	5-10 ml/ 500 ml of water	_	_	_

# MycoHelp® Bio plant and soil aid

Multicomponent microbiological plant and soil aid for stimulating powerful root system and promoting resistance



#### Product details







root system growth

Prevents fungal Increases the area and bacterial of absorption of diseases nutrients

## Characteristics The type of product

microbiological

Packaging 500 ml

liquid Preparative form

The period of use

spring, summer, autumn, winter

#### Benefits

- Preventive action against: root rot, black leg, alternaria, phytophthora, rhizoctoniosis, septoriosis, fusarium, bacteriosis, etc
- ▼ The Trichoderma fungus penetrates directly into the root and forms an ectomycorrhiza, which helps to strengthen plant immunity and absorb nutrients without resistance
- ✓ Relieves stress from sudden temperature changes and drought
- Powerful root system

#### Composition

- Trichoderma
- Bacillus subtilis
- Azotobacter chrococcum,
- Enterobacter sp, Enterococcus

#### Product description

**Mycohelp®** increases the resistance, relieves different kinds of stress and improves the supply of plants with moisture. You will see the improvement of the soil occurs due to the increase in the biological activity of the soil.

**Shelf life:** 12 months at 4 °C to 10 °C or 6 months at 10 °C to 15 °C.

Safe for humans, fish, birds, bees and the environment. Certified for organic farming.

#### Application features

- Before use, the product is thoroughly shaken, then the recommended application rate is dissolved in the required volume of water and used in the form of working solution
- The biological working solution is prepared on the day of treatment, if necessary, stored in a cool dark place for 4 hour
- Before use, mix it to get a homogeneous solution
- Treatment should be carried out avoiding direct sunlight, in cloudy weather or in the evening
- To increase the effectiveness of the biological MycoHelp® we recommend to add Liposam® to the working solution

You can also improve the soil (before sowing seeds and planting seedlings) 30 ml / 10 liters of water and then just water the soil. Sowing seeds or planting plants is allowed immediately after tillage.



#### Application

	Application methods			
Culture	Planting, replanting (seedlings, seedlings, bushes)	Root treatment (watering)	Foliar treatment (spraying) of plants during the growing season	
Vegetable crops of outdoor and indoor ground(tomatoes, cucumbers, cabbage and other vegetables) Strawberry, blueberry Flowers (garden, indoor)	15 ml / 10 l of water 0,3-0,5 l of working solution per plant (well)	15-20 ml / 10 liters of water	15-20 ml /10 liters of water	
Grapes, raspberry	30 ml / 10 liters of water 0,5 l of working solution per plant (well)	We recommend	Spray plants 4 times with an	
Fruit trees	30 ml / 10 liters of water 1 l of working solution per plant (well)	to water until soil is optimally moist	interval of 15-20 days	

Attention! Sediment or film can be formed on the surface of the liquid. In this case, for uniform spraying of the product working solution, it is advisable to filter it before using

You can also improve the soil (before sowing seeds and planting seedlings) 30 ml / 10 liters of water and then just water the soil. Sowing seeds or planting plants is allowed immediately after tillage.

Bottle cap volume

15 ml

Important: this biological can be used with other approved plant nutrition and protection products

16

## Interesting to know!

**Liposam®** does not form a continuous film, but a net like an elastic bandage.

This is possible due to the high-molecular structure of polymer fibers, which are very elastic and at the same time resilient thanks to their spatial structure. They gently wrap the plant and thereby do not interfere with its growth, respiration and photosynthesis.

Bio adhesives are substances that contribute to better wetting of plants due to a decrease in the surface tension of water. The use of Liposam® increases the effectiveness of the use of other products for plants care (protective products, fertilizers, plant growth stimulants, etc.). The use of Liposam® improves the penetration of the active substance of the product into the plant almost in 10 times compared to biologicals without adhesive.

**Liposam®** is a composition of natural biopolymers with adhesive. Liposam® is used for pre-sowing treatment of seeds and during the growing season in order to fix other plant care products on the surface of the leaves.

**Liposam®** increases the effectiveness of products with which it is combined, contributes to moisture retention and growing organic yields.







**Bio** adjuvant

Bio adjuvant and wetting agent for fixing plant care products on the leaves



#### Product details

- Fixes the biologicals and other plant protection and nutrition products on the planting material, ensures their close contact with the treated surface
- Forms a protective elastic net that retains moisture, does not destroy the natural shell of the seeds, breathing and photosynthesis
- Protects plants during the growing season from sunburn, drought and other stresses
- Provides better absorption of macro/ micronutrients during foliar feeding

#### Composition

Biopolymers of natural origin with adhesive properties

Characteristics	
The type of product	bio adjuvant
Packaging	500 ml
Preparative form	gel
The period of use	spring, summer, autumn, winter

#### Benefits

- Fixes on a plant or seed, prolongs the effect of protective preparations, prevents washing away by rain
- Reduces the loss of plant care products during processing from runoff
- Improves the supply of micro- and macroelements, biologicals to plants
- Provides protection of seeds and plants from mechanical damage and drying
- Preserves moisture on the root system and leaves of plants

### Application

- Pre-sowing seeds treatment
- Pre-planting potato tubers and bulbs treatment
- Application together with biologicals and chemical plant care products and nutrition preparations by plants spraying during the growing season
- Pre-planting seedlings treatment with soaking roots

**Shelf life:** 3 years at 0 °C to 20 °C

Safe for humans, fish, birds, bees and the environment. Certified for organic farming.





### Application

	Application methods			
Culture	Pre-sowing treatment of seeds	Root treatment (watering)	Foliar treatment (spraying of plants leaves)	
Vegetable crops: cucumbers, tomatoes, peppers, eggplants, beets, cabbage, watermelons, melons, zucchini, corn	5 ml/ 0,5 l of water	5-10 ml/ 2-5 l of water		
Legumes: peas, soybeans, beans, lentils, beans, plantain		_		
Potatoes (tubers), bulbs (50-100 kg)	5-10 ml/ 2-5 l of water	_	5-10 ml/ 10 l of water	
Fruit crops: strawberries, raspberries, gooseberries, currants and others	_	5-10 ml/ 5-10 l of water	10101 Watel	
Seedlings of fruit trees	_			
Flowers - seeds - tubers	5 ml/ 0,5 l of water 5-10 ml/ 2-5 l of water	5-10 ml/ 2-5 l of water		
Grass for lawns	5 ml/ 0,5 l of water	_		

Important: this biological can be used with other approved plant nutrition and protection products

Bottle cap volume

15 ml



# Notes

23

